



EDSUKTFHT9313 Full Height Stainless Steel Turnstiles



Outline Specification: EDSUKTFHT9313 Full Height Stainless Steel Turnstile

Height	2129mm
Width	1400mm
Construction	Stainless Steel as Standard with additional option for Powder Coating (Most Ral Colours)
Drive Unit	Manually pushed to rotate with electric locking, can be free entry or exit or controlled in either direction or a combination of.
Controls	Microprocessor controlled drive unit which can interface to any standard control system, i.e. card reader, push button, keyswitch, remote control etc.
Power	Single Phase 230vac (UK) Supply both 50/60 Hz
Operating temperature	-20 to +80 degrees Centigrade


EDSUKTFHT9313 Full Height Turnstile for external or internal use. Stainless Steel frame and arms, with optional powder coating over stainless steel for harsh environments, please ask for details.

Operation: Manually operated arms. Available as mechanical only unit or controlled in either or both directions. Can be controlled via any access control unit which gives out a volt free contact (supplied separately). Free rotation on power failure or activation of Fire Alarm. Unlocking mechanism adjustable from 2-32 seconds. Single or double turnstile units available, 90 degree 4 bar rotors or 120 degree 3 bar rotors, straight or hooped bars, Mechanical or electric operation, overhead canopy option available.

The turnstile can also be fitted with a side mounted pedestrian gate incorporating a standard mechanical lock, electronic lock or automatic opening & closing mechanism to aid easier access of DDA or deliveries.

EDSUKTFHT9313 Full Height Turnstile is designed to conform to the existing safety regulations, installed and tested by EDSUK, a guarantee of long lasting higher reliability.

Technical Specification & Notes:



Optional Features

Switch & Timer Operation

Push button, Desktop Switch, Keyswitch, & 24hr timer for automatic mode operation.




Intercom Control

Audio, Video & Audio, GSM Intercom operated over a mobile phone SIM card.



Access Control Integration

Keypads, Magnetic Swipe Card, Barcodes, Proximity Card, Photo ID, RFID & Radio Remote Control Technology, Biometric Controls, can all operate the system.



UPS – Battery Backup Facility

Battery back-up facility to operate the system in the event of a power fail and provides a level of mains power filtering.



Traffic Light Control

LED traffic lights and information signs, full & spaces, stop & go and bespoke directional signs etc.



Photocell Safety/ Opening Sensors

Photocell detectors providing opening/rise, close/lower, Switching & alarms etc.



Token Operation

Simple token operation with slotted token, can be customised with your organisations logo or name.

